

そろばん継手 定価・寸法表

2026年9月(14号)



そろばん継手®

 **東尾メック株式会社**

〒586-0012 大阪府河内長野市菊水町8番22号
TEL/0721-53-2281(代) FAX/0721-53-2279
<https://www.mech.co.jp/>
e-mail higashio@mech.co.jp


 **東尾メック株式会社**

エルボ

Technical drawing of a mechanical component, likely a bracket or support. The drawing shows a side view with a curved base. Dimension A is indicated as the total height from the base to the top of the main body. Dimension Z is indicated as the height of the main body from the base. The drawing includes various mechanical details such as bolts, nuts, and a curved base.

	(mm)		(円／個)	
呼び (Su)	A	Z	入 数	定 価
13	50.7	14.2	60	3,640
20	54.2	17.7	40	3,850
25	57.2	20.7	25	5,260
30	64.8	25.0	16	8,280
40	69.3	29.5	10	10,170
50	73.0	33.2	8	12,620
60	99.1	41.8	4	20,980

	(mm)				(円／個)	
呼び (Su)	25Su側		20Su側		入 数	定 価
	A	Z	A	Z		
25×20	54	17.5	57.2	20.7	25	5,620



(mm)				(円／個)	
呼び (Su)	A1	A2	Z	入 数	定 価
20	54.2	54.2	17.7	40	4,740
25	57.2	57.2	20.7	25	5,930

・固定側はスポット溶接止め

45°エルボ


(mm)				(円/個)
呼び (Su)	A	Z	入 数	定 価
13	44.7	8.2	30	3,730
20	45.2	8.7	18	4,160
25	46.7	10.2	12	5,760
30	51.7	11.9	10	8,120
40	53.7	13.9	10	10,470
50	55.8	16.0	6	13,630
60	79.3	22.0	3	20,100

ソケット

(mm)				(円/個)
呼び (Su)	L	Z	入 数	定 価
13	77.0	4.0	50	3,350
20	77.0	4.0	60	3,730
25	77.0	4.0	45	4,710
30	83.6	4.0	20	6,660
40	83.6	4.0	18	8,650
50	83.6	4.0	14	10,620
60	120.6	6.0	4	16,470

(mm)				(円/個)
呼び (Su)	L	Z	入 数	定 価
20×13	78.0	5.0	24	3,420
25×13	81.5	8.5	18	4,490
25×20	78.0	5.0	18	4,490
30×20	84.9	8.6	12	5,900
30×25	81.4	5.1	12	5,900
40×13	92.2	15.9	9	8,010
40×20	89.0	12.7	9	8,010
40×25	85.8	9.5	9	8,010
40×30	84.9	5.3	9	8,010
50×13	95.6	19.3	6	10,310
50×20	92.4	16.1	6	10,310
50×25	89.2	12.9	6	10,310
50×30	86.6	7.0	6	10,310
50×40	84.0	4.4	6	10,310
60×50	106.1	9.0	6	15,410

チーズ




呼び (Su)	A	Z	入数	定価
13※	50.7	14.2	30	5,520
20※	54.2	17.7	20	6,020
25※	57.2	20.7	15	8,200
30※	64.8	25.0	8	12,140
40※	69.3	29.5	6	15,380
50※	73.0	33.2	6	18,050
60※	99.1	41.8	2	31,130

※上記、同径の場合はA1・A2とも同寸法とする
 ※上記、同径の場合はZ1・Z2とも同寸法とする


呼び (Su)	A1	A2	Z1	Z2	入数	定価
20×13	51.1	54.2	14.6	17.7	20	6,660
25×13	51.1	57.2	14.6	20.7	15	8,230
25×20	54.0	57.2	17.5	20.7	15	8,230
30×20	56.7	62.5	16.9	26.0	10	12,230
30×25	59.9	62.5	20.1	26.0	10	12,230
40×13	53.6	67.0	13.8	30.5	6	16,250
40×20	56.7	67.0	16.9	30.5	6	16,250
40×25	59.5	67.0	19.7	30.5	6	16,250
40×30	64.8	69.3	25.0	29.5	6	16,250
50×13	54.0	70.7	14.2	34.2	6	17,720
50×20	57.1	70.7	17.3	34.2	6	17,720
50×25	60.3	70.7	20.5	34.2	6	17,720
50×30	65.2	73.0	25.4	33.2	6	17,720
50×40	69.6	73.0	29.8	33.2	6	17,720
60×20	74.3	82.2	17.0	45.7	3	25,320
60×25	77.3	82.2	20.0	45.7	3	25,320
60×30	81.3	83.8	24.0	44.0	3	25,320
60×40	85.7	83.8	28.4	44.0	2	25,320
60×50	89.1	83.8	31.8	44.0	2	25,320

メスネジチーズ




呼び (Su×Rc)	A1	A2	Z	ℓ	H	入数	定価
25×3/4	55.5	37.7	19.0	14.5	33.0	15	7,100
30×3/4	58.2	42.5	18.4	14.5	33.0	10	11,550
40×3/4	57.8	47.0	18.0	14.5	33.0	8	16,110
50×3/4	58.6	50.7	18.8	14.5	33.0	6	17,330

給水栓エルボ




呼び (Su×Rp)	A1	A2	Z	ℓ	φd	入数	定価
13×1/2	51.7	33.0	15.2	15.0	33.0	30	2,940
20×1/2	54.2	36.0	17.7	15.0	33.0	40	3,520
20×3/4	54.2	37.0	17.7	16.5	39.0	40	3,520
25×1	59.2	45.5	22.7	19.5	47.0	24	5,370

給水栓チーズ



呼び (Su×Rp)	A1	A2	Z	ℓ	φd	入数	定価
13×1/2	54.2	36.0	17.7	15.0	33.0	20	5,240
20×1/2	54.2	36.0	17.7	15.0	33.0	20	5,680
20×3/4	56.9	38.0	20.4	16.5	39.0	20	5,680
25×1	60.3	47.0	23.8	19.5	47.0	15	7,820


給水栓ソケット



呼び (Su×Rp)	L	ℓ1	ℓ2	H	入数	定価
13×1/2	55.5	14.0	19.0	27.0	50	3,210
20×1/2	55.5	14.0	19.0	27.0	60	3,370
20×3/4	57.0	15.5	20.5	33.0	60	3,370
25×1	59.0	18.5	22.5	41.0	50	4,950

・固定側はスポット溶接止め


台付給水栓エルボ



呼び (Su×Rp)	A1	A2	L	F	C	l
20×1/2	54.2	35.5	72.7	31.5	32.0	15.0

呼び (Su×Rp)	Z	E	φd	入数	定価
20×1/2	17.7	24.5	33.0	20	5,090


座付給水栓エルボ



呼び (Su×Rp)	A1	A2	L	F	l	Z
13×1/2	51.7	33.0	51.0	31.5	15.0	15.2
20×1/2	54.2	35.5	55.8	31.5	15.0	17.7
20×3/4	54.2	37.0	57.3	31.5	16.5	17.7
25×1	59.2	46.5	70.0	35.0	19.5	22.7

呼び (Su×Rp)	E	φd	入数	定価
13×1/2	24.5	33.0	25	4,460
20×1/2	24.5	33.0	20	5,070
20×3/4	24.5	39.0	20	5,070
25×1	28.0	47.0	10	7,990


一体型給水栓エルボ



呼び (Su×Rp)	A1	A2	Z	l	φd	入数	定価
20×1/2	54.2	36.0	17.7	15.0	33.0	40	3,530

・固定側はスポット溶接止め


座付給水栓チーズ



呼び (Su×Rp)	A1	A2	L	F	l	Z
20×1/2	54.2	36.0	57.0	31.0	15.0	17.7


呼び (Su×Rp)	E	φd	入数	定価
20×1/2	24.0	33.0	18	6,360

オスアダプターソケット




呼び (Su×R)	L	l1	l2	入数	定価
13×1/2	68.5	15.0	32.0	50	2,510
20×1/2	71.7	15.0	35.2	60	3,010
20×3/4	69.5	16.0	33.0	60	3,010
25×1	72.0	18.5	35.5	50	3,720
30×1	79.6	18.5	39.8	20	5,700
30×11/4	81.3	19.5	41.5	20	5,700
40×11/4	86.5	19.5	46.7	15	6,640
40×11/2	83.0	19.5	43.2	15	6,640
50×11/2	86.4	19.5	46.6	12	8,500
50×2	87.8	23.5	48.0	12	8,500
60×2	106.0	23.5	48.8	5	15,810
60×21/2	108.6	27.0	51.3	5	15,810

メスアダプターソケット




呼び (Su×Rc)	L	l1	l2	H	入数	定価
13×1/2	55.5	13.0	19.0	27.0	50	2,710
20×1/2	55.5	13.0	19.0	27.0	60	3,270
20×3/4	57.0	14.5	20.5	33.0	60	3,270
25×1	59.0	16.5	22.5	41.0	50	3,640
30×1	64.2	16.5	24.4	41.0	20	5,540
30×11/4	65.8	19.0	26.0	50.0	20	5,540
40×11/4	66.2	19.0	26.4	50.0	15	7,120
40×11/2	64.8	19.0	25.0	56.0	15	7,120
50×11/2	65.7	19.0	25.9	56.0	12	9,180
50×2	71.7	23.5	31.9	70.0	12	9,180

オスアダプターエルボ




呼び (Su×R)	A1	A2	Z	l	H	入数	定価
20×1/2	50.7	51.4	14.2	15.0	23.0	40	3,980
20×3/4	53.0	52.4	16.5	16.0	28.0	40	3,980
25×1	56.5	58.4	20.0	18.5	35.0	25	5,170

メスアダプターエルボ



呼び (Su×Rc)	A1	A2	Z	l	φd	入数	定価
20×3/4	54.2	37.0	17.7	14.5	38.5	40	4,230


10K フランジ



呼び (Su×A)	L	Z	T	φD	φd	PCD	入 数	定 価
20×20	53.5	17.0	13.0	100.0	15.0	75.0	12	8,560
25×25	55.5	19.0	15.0	125.0	19.0	90.0	6	13,360
30×25	58.1	18.3	15.0	125.0	19.0	90.0	6	17,720
30×32	60.1	20.3	16.0	135.0	19.0	100.0	6	17,720
40×32	60.1	20.3	16.0	135.0	19.0	100.0	6	19,700
40×40	60.1	20.3	16.0	140.0	19.0	105.0	5	19,700
50×40	60.0	20.2	16.0	140.0	19.0	105.0	5	24,020
50×50	60.5	20.7	16.0	155.0	19.0	120.0	3	24,020
60×50	77.1	19.8	16.0	155.0	19.0	120.0	2	32,960
60×65	77.1	19.8	16.0	175.0	19.0	140.0	2	32,960


A：管の呼び径

キャップ



呼び (Su)	L	Z	入 数	定 価
13	40.5	4.0	20	5,500
20	40.5	4.0	24	6,620
25	41.0	4.5	18	8,050
30	44.3	4.5	10	10,010
40	44.8	5.0	6	11,400
50	45.3	5.5	4	14,480


ストリートエルボ



呼び (Su)	A1	A2	Z	※D	入 数	定 価
20	53.2	200	16.7	22.2	10	7,120

※D寸法はJIS G 3448 一般配管用ステンレス鋼管 外径寸法とする


45°ストリートエルボ



呼び (Su)	A1	A2	Z	※D	入 数	定 価
20	45.2	200	8.7	22.2	8	7,030

※D寸法はJIS G 3448 一般配管用ステンレス鋼管 外径寸法とする


やり取り継手



呼び (Su)	L	※L1	入 数	定 価
13	141.0	67.9	20	5,020
20	141.0	67.9	12	5,530
25	141.0	67.9	9	7,030
30	151.0	70.8	6	12,140
40	151.0	70.8	4	14,150
50	152.5	72.1	4	16,190

※L1は管端から管端までの最長距離


ニップル



呼び (Su)	L	H	※D	入 数	定 価
20	105.0	34.0	22.2	20	3,680
25	105.0	40.0	28.5	16	4,320
30	115.0	50.5	34.0	12	5,980
40	115.0	59.5	42.7	8	6,970
50	115.0	65.5	48.6	6	9,030


※D寸法はJIS G 3448 一般配管用ステンレス鋼管 外径寸法とする

支持金具



呼び (Su)	(mm)			(円／個)	
	B	E	入 数	定 価	
13	24.6	47.0	20	800	
20	27.9	53.5	20	890	
25	31.0	60.0	20	930	


テストプラグ



呼び (Su)	(mm)					(円／個)
	φD	L	材 質	入 数	定 価	
13	32.0	36.5	POM	15	2,190	
20	38.0	36.5	POM	15	2,300	
25	44.5	36.5	POM	15	2,590	
30	55.0	39.5	SUS304	10	8,160	
40	65.0	39.5	SUS304	6	9,550	
50	70.0	40.0	SUS304	6	11,060	


※POM＝ポリアセタール樹脂

リテーナ




呼び (Su)	(円／個)	
	入 数	定 価 (紫色)
13	70	190
20	50	210
25	30	250
30	25	390
40	17	400
50	10	460
60	16	560

建築銅管用リテーナ




そろばん 本体	リテーナ	入 数	定 価 (黄色)	(円／個)	
				銅 管 φ	質別
13Su	1/2	70	190	15.88	H (直管)
20Su	3/4	50	210	22.22	
25Su	1	30	250	28.58	

銅管専用オスアダプター



呼び(A×R)	(mm)						(円／個)
	L	A	φD	W	外 径	入数	
32×R1.1/4	82.0	45.9	57.1	55.1	34.92	3	22,970
40×R1.1/2	82.0	45.9	63.5	61.5	41.28	2	26,780
50×R2	86.0	45.9	76.2	74.2	53.98	2	31,680

継手接続部の外径寸法



呼び (Su)	φD
13	30.2
20	36.9
25	43.7
30	53.3
40	62.5
50	69.6
60	90.0

ねじ記号 管用テーパねじ (R: おねじ、Rc: めねじ)
管用平行めねじ: Rp

※そろばん継手は東尾メック株式会社の登録商標です。